

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	48	("6263371" "5535199" "6134245" "6229823" "6381638" "4893307" "5021949" "5757924" "5826014" "6003084" "6021263" "6061798" "6061798" "6076114" "6115751" "6131163" "6151679" "6161123" "6202081" "6212175" "6212175" "6240513" "6247058" "6289023" "6292479" "6330250" "6453354" "6591302" "6621799" "6675212" "6728885" "6735634" "6832184" "6208620" "6115357" "5940390" "6084879" "6370144" "6389031" "6757738" "5530693" "5764625" "5903559" "5928331" "5937169" "5941988" "5987022" "5991302" "6018516" "6018530").pn.	USPAT	OR	OFF	2005/01/26 14:14
S2	49	("6041054" "6084875" "6128298" "6182139" "6198735" "6205120" "6219706" "6219706" "6233224" "6247072" "6307487" "6320520" "6356863" "6373406" "6415329" "6512768" "6577599" "6603738" "6614808" "6650621" "6760304" "6765909" "6771673" "6772211" "6775258" "6791979" "6826620" "6829238" "5983271" "6338078" "5835725" "5838682" "6006258" "6185617" "6473763" "6597661" "6535924" "6137792" "5477531" "5553083" "5727002" "5963551" "6032197" "6097697" "6151696" "5307413" "5442637" "5673322" "5768552" "5841764").pn.	USPAT	OR	OFF	2005/01/26 14:46
S3	95	inserting near data with packets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:45
S4	387	709/234.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:46
S5	1900	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:46

S6	383	709/242.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:45
S7	1200	709/246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:45
S8	25	("6" and "7" and "4" and "5") with inser\$5 with data with packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 08:57
S10	390	709/234.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 09:00
S11	1916	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 09:00
S12	383	709/242.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 09:00
S13	1213	709/246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 09:00
S14	1997	(S10 S11 S12 S13) and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 09:05

S15	223	(S10 S11 S12 S13) and (insert\$5 with packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:12
S16	94	(S10 S11 S12 S13) and (insert\$5 with data with packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:04
S17	18	(S10 S11 S12 S13) and (add\$4 adj data with packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:09
S18	0	adding with (extra adj data) with packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:38
S19	15	adding with extra with data with packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:38
S20	51	(S10 S11 S12 S13) and (append\$5 with data with packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:22
S21	337	insert\$5 near data near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:45
S22	253	S21 and @ay<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:21

S23	36	S22 and extra	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:44
S24	0	insert\$5 near extra near data near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:46
S25	3	insert\$5 near additional near data near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:47
S26	77	insert near data near packet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 06:49
S27	0	insert\$5 near data near into near packet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 06:51
S28	0	insert\$5 near data near in near packet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 06:51
S29	15	(add\$4 append\$5) near data near in near packet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 06:52
S30	243	packet near expan\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 08:34

S31	1129	append\$5 near packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 08:34
S32	174	append\$5 near packet\$3 near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 08:36
S33	134	S32 and @ay<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:11
S34	108	"5594702" "6014380" "6034963" "6128666" "6172990".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:12
S35	96	"5594702" "6014380" "6034963" "6128666" "6172990".pn.	USPAT	OR	OFF	2005/01/28 13:46
S36	37	packet near expansion	USPAT	OR	OFF	2005/01/28 13:46
S37	12	luu-le\$7.xp. and merge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:45
S38	310	luu-le\$7.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:11
S39	52	token adj ring near insert\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:33
S40	8	token adj ring near insert\$5 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:35

S41	0	insert\$5 near data near token adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:36
S42	0	insert\$5 near data near token\$2 adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:36
S43	1	insert\$5 with data near token adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:37
S44	0	add with data near token adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:39
S45	0	addi\$4 with data near token adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:39
S46	0	token adj ring near extra near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:39
S47	0	token adj ring with (extra near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:43
S48	1	token adj ring with (extra with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:43

S49	85	S38 and packet with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:51
S50	0	insert with alter near packet near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:51
S51	5	alter near packet near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:53
S52	1	insert near extra near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:54
S53	31	(insert near packet) and (token adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:54
S54	11	alter\$5 near packet near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:20
S55	72	chang\$5 near packet near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:33
S56	6	(chang\$5 near packet near size) and insert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:38

S57	518	insert with additional with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:38
S58	148	S57 and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:39
S59	119	S58 and @ay<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 09:41
S60	25	S57 with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:11
S61	0	(token adj ring) near extra near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:13
S62	0	(token adj ring) with extra near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:12
S63	1	(token adj ring) with extra with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:12
S64	66	(token adj ring) near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:13



S65	64	S64 and @ay<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:13
S66	311	luu-le\$7.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:11
S67	123	S66 and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:17
S68	0	S66 and packet near extra	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:12
S69	0	S66 and packet near add\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:12
S70	1	S66 and packet near insert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:12
S71	0	S66 and packet near merge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:12
S72	0	S66 and packet near tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:13

S73	4	S66 and packet with tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:14
S74	1	S66 and packet with insert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:14
S75	2	S66 and packet with add	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:15
S76	0	S66 and packet with extra	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:14
S77	0	S66 and packet with append	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:14
S78	62	S66 and packet near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:18
S79	85	S66 and packet with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:18

S80	37	(US-20010037238-\$ or US-20020062394-\$ or US-20020071434-\$ or US-20020073227-\$ or US-20020112076-\$ or US-20020131486-\$ or US-20020145999-\$ or US-20020191601-\$ or US-20020199019-\$ or US-20030023960-\$ or US-20030046429-\$ or US-20030189954-\$ or US-20040005878-\$ or US-20040030738-\$).did. or (US-5384770-\$ or US-5594702-\$ or US-5931916-\$ or US-6003089-\$ or US-6014380-\$ or US-6032197-\$ or US-6034963-\$ or US-6076114-\$ or US-6076117-\$ or US-6115747-\$ or US-6128666-\$ or US-6172990-\$ or US-6330699-\$ or US-6393486-\$ or US-6538997-\$ or US-6542470-\$ or US-6571089-\$ or US-6621799-\$ or US-6728885-\$ or US-6775258-\$ or US-6788707-\$ or US-6825875-\$ or US-6829238-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/03 09:54
S85	339	insert\$5 near data near packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:21
S86	254	S85 and @ay<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:21
S87	4	S86 and hyper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:23
S88	9	S86 and hyper\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:30

S89	26	S80 and reques\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:30
-----	----	-------------------	---	----	-----	------------------